

**ANALYTICAL REPORT**  
**AR-242313**

**Customer Information**

**Customer:** Research Verified LLC

**Customer Reference No.:** RVCLLP

**Address:** 5203 Juan Tabo Blvd, Albuquerque, NM 87111

**Attn:** Quality Department

**Sample Information**

**Received on:** 5/14/2024

**Condition upon receipt:** Acceptable, 20.8 °C, 50.4% RH

**Analyzed on:** 5/15/2024

**Report date:** 5/24/2024

**Description:** Research Verified Collagen Powder

**Lot No.:** 100937

**Analytical Results**

Analysis	Specification	Test result	Method
Lead (Pb)	Report Only	<0.010 ppm	ICP-MS
Arsenic (As)	Report Only	0.012 ppm	ICP-MS
Cadmium (Cd)	Report Only	<0.004 ppm	ICP-MS
Mercury (Hg)	Report Only	<0.004 ppm	ICP-MS
Total Plate Count	Report Only	<10 CFU/g	USP <2021>
Yeast and Mold Count	Report Only	<10 CFU/g	USP <2021>
<i>Staphylococcus aureus</i>	Report Only	Not Detected in 10 g	USP <2022>
<i>Salmonella</i> spp.	Report Only	Not Detected in 10 g	USP <2022>
<i>Escherichia coli</i>	Report Only	Not Detected in 10 g	USP <2022>

Approved by:

Ivan Gonzalez MSc

ivang@vertexanalytical.com

QC Manager—Head Chemist

Serving Size = 8 g

This Report is issued in accordance with Vertex Analytical Labs LLC Standard Terms and Conditions including but not limited to our services and reports (i) are for the benefit of the client only and may not be used by any other party for any purpose and (ii) relate solely to the sample(s) in our possession and cannot be applied to any other Lot Number or material. Report shall not be reproduced except in full, without written approval of the laboratory. Specifications, Serving Size, and Customer Reference Number are provided by the customer.

\*\*\*END OF REPORT \*\*\*

**Vertex Analytical Labs LLC**

9335 Airway Road, Suite 202

San Diego CA 92154

Ph: +1 (888) 316 1414

customersupport@vertexanalytical.com

vertexanalytical.com

FM-046 Rev. 03 / QP-011

Page 1 of 1