

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
Amazon Certification *			
Adulterants	Pass		
Contaminants	Pass		
Pathogens	Pass		
Microbiological	Pass		
GMP Certification	Pass		
Content Claims	Pass		
Overall Certification	Pass		
Label Review	Pass		
Calculated Sample Weight *			
Entity Weight	0.8654 g		
Entity Fill Weight	0.7447 g		
Targeted Analysis of Sports Nutrition Adulterants for Amazon Products			
Androsta-3,5-diene-7,17-dione (Armistane)	Not Detected.		
Androsta-1,4,6-trienedione	Not Detected.		
4-Androstenedione	Not Detected.		
4-Androstene-3 α -ol-17-one (4-DHEA-alpha)	Not Detected.		
4-Androstene-3 β -ol-17-one (4-DHEA-beta)	Not Detected.		
4-Androsten-3,6,17-trione	Not Detected.		
Androsterone (3 α -hydroxy-5 α -androstan-17-one)	Not Detected.		
1-Androsterone (1-dehydroepiandrosterone)	Not Detected.		
Dehydrochloromethyltestosterone (4-chlorodehydromethyltestosterone)	Not Detected.		
Estra-4,9-diene-3,17-dione	Not Detected.		
GW1516 (Endurobol)	Not Detected.		

* This analysis or component is not ISO accredited.

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sports Nutrition Adulterants for Amazon Products			
Ibutamoren	Not Detected.		
7-Keto-dehydroepiandrosterone (7-Keto-DHEA)	Not Detected.		
LGD-4033 (Ligandrol)	Not Detected.		
Metandienone (Methandrostenolone)	Not Detected.		
Methasterone (Superdrol)	Not Detected.		
Methylstenbolone (Ultradrol)	Not Detected.		
Methyl-1-testosterone	Not Detected.		
Ostarine (Enobosarm)	Not Detected.		
Prostanazol	Not Detected.		
RAD140 (Testolone)	Not Detected.		
Stanozolol	Not Detected.		
The reporting limits for 4-DHEA-alpha, 4-DHEA-beta, Androsterone, 1-Androsterone, Superdrol, and Testolone are 50 ppm. All other residues have a reporting limit of 10 ppm.	-		
Quercetin Dihydrate *			
Quercetin Dihydrate	29.6 mg/Serving Size	30 mg/Serving Size	Pass
Aerobic Plate Count *			
Aerobic Plate Count	700 (est) CFU/g	<= 10000 CFU/g	
E. coli *			
Escherichia Coli	Absent /10 g		
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) *			
Enterobacterial Count	<10 MPN MPN/g	<= 100 MPN/g	
Salmonella USP *			
Salmonella	Absent /10 g		

* This analysis or component is not ISO accredited.

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
Staphylococcus *			
Staphylococcus Aureus	Absent /10 g		
Yeast and Mold Count *			
Combined Yeast and Mold Count	<100 CFU/g	<= 1000 CFU/g	Pass
Preparatory Testing of Nutritional and Dietary Supplements *			
Staphylococcus Suitability Result	PASS		
E. coli Suitability Result	PASS		
Salmonella Suitability Result	PASS		
Bile-Tolerant Gram-Neg Bacteria Suitability Result	PASS		
Aerobic Plate Suitability Result	PASS		
Total Combined Yeast-Molds Count	PASS		
Elements by ICP Mass Spectrometry			
Arsenic	<0.0000260 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Lead	0.0000295 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Chromium *	0.000813 mg/Serving Size	<= 0.02 mg/Serving Size	Pass
Cadmium	<0.0000130 mg/Serving Size	<= 0.0041 mg/Serving Size	Pass
Mercury	<0.0000130 mg/Serving Size	<= 0.002 mg/Serving Size	Pass

Non-Testable Claims *

Comments and Conclusions

Eurofins may be unable to meet the minimum test requirement as certain ingredients in this product have no scientifically valid methods available. Per Amazon policy, some of the ingredients are exempt from quantitative analysis.

Photo *

* This analysis or component is not ISO accredited.

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Front



Packaging - Back

* This analysis or component is not ISO accredited.

Certificate of Analysis


Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



* This analysis or component is not ISO accredited.

Printed: 08-Jan-2025 12:42 pm

Page 5 of 11

Certificate of Analysis

Research Verified


5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Lot



Packaging - Facts

* This analysis or component is not ISO accredited.

Certificate of Analysis


Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



* This analysis or component is not ISO accredited.

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Sample Name:	Research Verified Nitric Oxide 90 capsules	Eurofins Sample:	14827444
Project ID	RES_VERIFI-20241220-0003	Receipt Date	27-Dec-2024
PO Number		Receipt Condition	Ambient temperature
Lot Number	10167	Login Date	20-Dec-2024
Sample Serving Size	3 Cap	Date Started	30-Dec-2024
Description	TR173442155652187 B01M7YDLZ6 EXP: 03-27	Sampled	Sample results apply as received
		Number Composited	20
		Online Order	901-2024-E096118

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Misc



Method References

Testing Location

Aerobic Plate Count (USPC2021)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Amazon Certification (AMZN_CERT)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

* This analysis or component is not ISO accredited.

Printed: 08-Jan-2025 12:42 pm

Page 8 of 11

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Method References

Testing Location

Calculated Sample Weight (PREP)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

E. coli (USPE2022)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Elements by ICP Mass Spectrometry (ICP_MS_S)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).

Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) (USPN2021)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Non-Testable Claims (AMZN_COMMT)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Photo (VIS_PHOTO)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPA_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPC_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPE_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

* This analysis or component is not ISO accredited.

Printed: 08-Jan-2025 12:42 pm

Page 9 of 11

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Method References

Testing Location

Preparatory Testing of Nutritional and Dietary Supplements (USPM_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPN_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPS_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Quercetin Dihydrate (QULC_S)

Food Integrity Innovation-Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Journal of Chromatography, 605: pp. 41-48 (1992).

Salmonella USP (USPS2022)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Staphylococcus (USPA2022)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Targeted Analysis of Sports Nutrition Adulterants for Amazon Products (BUFF2AMZ_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Internally developed LC-MS/MS method for screening and quantification of pharmaceutical adulterants in sports nutrition dietary supplements.

Certificate of Analysis

Research Verified

5203 Juan Tabo Blvd. NE
Suite 2B
Albuquerque NM 87111 United States

Method References

Testing Location

Yeast and Mold Count (USPM2021)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375

**Edward Ladwig - President Eurofins Food
Chemistry Testing Madison**



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.

**Mission Mountain Laboratories. Inc.**82892 US Hwy 93
Ravalli, MT 59863
Phone: 406-726-5227
www.mm-labs.com**PJLA**
TestingAccredited to ISO/IEC 17025:2017
Accreditation #86228

Certificate of Analysis

CJ Lab Inc.12245 SW 128 St. Ste 301
Miami, FL
33186**Order ID:** 2411147772**Lab Sample #:** 43729875**Receive Date:** 11/14/2024 11:42AM**Report ID:** #26991**Sample Description:** Nitric Oxide**Receive Condition:** Good**Sample Lot #:** 10167 **Storage Condition:** Ambient**Serving Size:** 3 Capsules

Chemical Analysis	Result	Specification	Analyst	Date	Method
Citrulline	482.0 mg/serving	NLT 480 mg/serving	Emily Woodward	11/22/2024	MML170.08

Method References**Method #** MML170.08**Desc** Determination of Amino Acids**Instrument** HPLC**Reference** Waters AccQ-Tag Method, Manual Number WAT052874, Rev 0 April 1993 (Modified)**Approval****Approved By:**Kimberly Nuccio
President/Authorized Reviewer**Approved Date:** 11/22/2024**Laboratory Location:** 82892 US Hwy 93 N, Ravalli, MT 59863

Disclaimer: This product results are only applicable to test sample submitted. Mission Mountain Laboratory makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full, without the written approval of Mission Mountain Laboratories. Quality and uncertainty data is available upon request. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 86228 for a list of current accredited tests.

Print Date: 11/22/2024